

(9920-89
815-86, 6465-88,
694-80)

3 750



3 750

(**9920-89
6465-88
815-86,
694-80)**

. electrical installations for voltage from 3 to 750 kV.
Creepage distance of external insulation

3402*

01.07.90

01.07.90,

50

, 3 750
1 15150

(, , . .);
;
() ;
;
, -

1.

1.1.

4

- I — ;
- II — ;
- III — ;
- IV — .

2.


2.1.

« » (.6).

© © ©
, 1989
, 1997
, 2008

		, / ,	
I—			1,6
II—			2,0
III—			2,5
IV—			3,1
1.	:		-
2.		1,6 / ,	1,2 / .
2.2.		2.	
1.	:		-
2.			-
(,			-
2.3.			-
2.4.			-
2.5.		II III	2,25 / .
2.6.	1.		1,
2.7.	2.		-

- 1. 550 , (< 40) 30 -
- 20 .
- 2. S/P 0,65. 0,8. -
- 3. $l_c/$ 5°. 4,5.
- 4.



		I		II	II*	III	IV
		1,5	1,6	2,0	2,25	2,5	3,1
3	3,6	6	7	8,0	9	10	12,5
6	7,2	12	13	17	18	21	25,0
10	12,0	20	22	28	30	35	42,0
15	17,5	30	32	41	45	51	62,0
20	24,0	40	44	55	62	69	84,0
35	40,5	70	75	95	105	116	140,0
110	126	190	200	250	280	315	390
(150)	(172)	(260)	(270)	(340)	(390)	(425)	(535)
220	252	380	405	505	570	630	790
330	363	540	580	725	800	905	1120
500	525	800	840	1050	1180	1315	1630
750	787	1150	1260	1575	1770	1970	2440

1. 15 %, 110 — 10 % 3—35 -
2. II III — , II* — ,
3. — , 01.07.93. -
4. 01.07.90. -

1.

... ; ... , ... (...); ... , ...
... ; ...

2.

19.10.89 3117

3.

— 1995 . — 5

4.

6465—88

5.

815 (1986) 694 (1980)

6.

9920-75

7.

-

15150-69	

8.

. 1997 .

(2008 .)

«
: 29.020; 29.080 (« -
», 2008).

03.07.2008. 60 841/8-
. . . 0,93. - . . 0,35. 137 . . 516.

« , 123995 , ., 4.
www.gostinfo.ru info@gostinfo.ru
« »
« » — .« , 105062 , .. 6